

AD-A049 075

ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/6
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)
JAN 78 M H WEEKS, B J DESENA
USAEHA-51-0858-78

UNCLASSIFIED

NL

191

ADAO49 075



END
DATE
FILMED

3 -78

DDC

AD No. _____
DDC FILE COPY AD A049075

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-34804
2,4-HEXADIENYL DECANOATE
STUDY NO. 51-0858-78

(13)

Approved for public release; distribution unlimited



DDC
RECEIVED
JAN 25 1978
F

US ARMY
ENVIRONMENTAL HYGIENE AGENCY
ABERDEEN PROVING GROUND, MD 21010



DEPARTMENT OF THE ARMY
U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY
ABERDEEN PROVING GROUND, MARYLAND 21010

Mr. Weeks/ag/584-3980

HSE-LT-T/WP

16 JAN 1978

SUBJECT: Topical Hazard Evaluation Program of Candidate Insect Repellent
AI3-34804, 2,4-Hexadienyl Decanoate, Study No. 51-0858-78, March
1976 - July 1977

Executive Secretary
Armed Forces Pest Control Board
Forest Glen Section, WRAMC
Washington, DC 20012

A summary of the pertinent findings and recommendations of the inclosed report follows:

A hazard evaluation of candidate insect repellent AI3-34804 was performed by means of laboratory studies using rats, rabbits and guinea pigs. The technical grade compound caused mild skin irritation, but no eye irritation, and no photochemical irritation in rabbits, no sensitization reactions in guinea pigs and did not demonstrate an acute ingestion hazard. It is recommended that AI3-34804, 2,4-hexadienyl decanoate, be approved for further testing as a candidate insect repellent.

FOR THE COMMANDER:

BRENDAN E. JOYCE, Ph.D.
LTC, MC
Director, Laboratory Services

1 Incl
as (4 cy)

CF:
HQDA (DASG-HCH)
Cdr, HSC (HSPA-H)
Dir, Advisory Ctr on TOX, NRC
Supt, AHS (HSA-RHE)
USDA, ARS-Southern Region

Approved for public release; distribution unlimited.



Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 51-0858-78 ✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Topical Hazard Evaluation Program of Candidate Insect Repellent AI3-34804, 2,4-Hexadienyl decanoate Study No. 51-0858-78, Mar 76 - Jul 77 March 1976 - July 1977.		5. TYPE OF REPORT & PERIOD COVERED Final, Mar 76 - Jul 77
6. AUTHOR(s) MAURICE H. WEEKS BRENDA J./DeSENA		6. PERFORMING ORG. REPORT NUMBER 51-0858-78
7. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Environmental Hygiene Agency Aberdeen Proving Ground, MD 21010 ✓		8. CONTRACT OR GRANT NUMBER(s) ② Final rept.
11. CONTROLLING OFFICE NAME AND ADDRESS Commander US Army Health Services Command Fort Sam Houston, TX 78234		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) ⑪ 16 Jan 78 ⑫ 9 p.		12. REPORT DATE Mar 76 - Jul 77
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. ⑭ USAEHA-51-0858-78		13. NUMBER OF PAGES 7
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		15. SECURITY CLASS. (of this report) Unclassified
18. SUPPLEMENTARY NOTES		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 2,4-hexadienyl decanoate eye irritation AI3-34804 sensitization Topical Hazard Evaluation oral toxicity candidate repellent skin irritation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A hazard evaluation of candidate insect repellent AI3-34804 was performed by means of laboratory studies using rats, rabbits and guinea pigs. The technical grade compound caused mild skin irritation, but no eye irritation, and no photochemical irritation in rabbits, no sensitization reactions in guinea pigs and did not demonstrate an acute ingestion hazard. It is recommended that AI3-34804, 2,4-hexadienyl decanoate be approved for further testing as a candidate insect repellent.		

DD FORM 1473 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

038 150

4B

Study No. 51-0858-78, Mar 76 - Jul 77

TABULAR PRESENTATION OF DATA

Test	Results	Interpretation
<u>SKIN IRRITATION STUDIES</u>		
<u>Rabbits</u>		
Single 24-hour application to intact and abraded skin of New Zealand White rabbits.	Compound AI3-34804 produced mild primary irritation of the intact skin and of the skin surrounding an abrasion.	USAEHA Category II (ref Appendix).
0.5 ml technical grade compound applied to each of six rabbits.		
<u>EYE IRRITATION STUDIES</u>		
<u>Rabbits</u>		
Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits.	Compound AI3-34804 did not produce any injury to the cornea and no injury to the conjunctiva in 6 out of 6 rabbits.	USAEHA Category A (ref Appendix).
<u>APPROXIMATE LETHAL DOSE (ALD)</u>		
<u>Oral</u>		
Rats (male) - no diluent	ALD >4300 mg/kg	Presents little lethal hazard from acute accidental ingestion.

ACCESS TO FILE

NTIS ☒ Micro Section

DOC ☐ Bulk Section

MANUFACTURED BY

U.S. PATENT

BY

DESCRIPTION/ANALYSIS CODES

DATE

INITIAL

A

Study No. 51-0858-78, Mar 76 - Jul 77

Test	Results	Interpretation
<u>PHOTOCHEMICAL SKIN IRRITATION STUDIES</u>		
<u>Rabbits</u>		
A single application (0.05 ml) of a 25 percent (w/v) solution of the compound (AI3-34804) and of a 10 percent (w/v) oil of Bergamot (positive control) in 95 percent ethyl alcohol, were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.	A 25 percent solution of AI3-34804 in ethanol did not cause a photochemical irritation reaction under test conditions. Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.	Compound AI3-34804 did not cause a photochemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans.
<u>Control</u>		
Following UV exposures of the rabbits, 0.5 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation reactions at 24, 48, and 72 hours.	Ethanol solutions of AI3-34804 caused a very slight irritation reaction on both UV and non-UV irradiated skin sites.	


Study No. 51-0858-78, Mar 76 - Jul 77


Test	Results	Interpretation
<u>SENSITIZATION STUDIES</u>		
<u>Guinea Pig (Male)</u>		
Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-34804 or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.		
Ten test guinea pigs received and challenged with a 0.1 percent solution of AI3-34804.	Challenge dose of test compound (last intradermal injection) did not produce a sensitization reaction.	Compound AI3-34804 did not produce a sensitization reaction under these test conditions and as not expected to produce a sensitization reaction in man.
Ten positive control guinea pigs received and challenged with 0.1 percent suspension of DNCB.	Positive control (DNCB) produced a marked sensitization reaction in 10 out of 10 guinea pigs.	

Study No. 51-0858-78, Mar 76 - Jul 77


5. CONCLUSION. The candidate insect repellent AI3-34804, has a potential for causing some slight skin irritation but presents no acute hazard from eye, photochemical or sensitization contact or from acute ingestion.

6. RECOMMENDATION. Under the provisions of the Memorandum of Understanding (para 1b), it is recommended that AI3-34804, 2,4-hexadienyl decanoate, be approved for further testing as a candidate insect repellent. The compound should be used with caution around abrasions of the skin.


MAURICE H. WEEKS
Chief, Toxicity Evaluation Branch
Toxicology Division


BRENDA J. DeSENA
SP4
Veterinary Specialist
Toxicology Division

APPROVED:


ARTHUR H. MCCREESH, Ph.D.
Chief, Toxicology Division

Study No. 51-0858-78, Mar 76 - Jul 77

APPENDIX

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

CATEGORY I - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

CATEGORY II - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals. prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

CATEGORY V - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

A. Compounds noninjurious to the eye. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.

B. Compounds producing mild injury to the cornea. INTERPRETATION: Should be used with caution around the eyes.

Study No. 51-0858-78, Mar 76 - Jul 77

C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.

D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.

E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.

F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.